

L Number	Hits	Search Text	DB	Time stamp
4	300	BINARY AND (MD5 MD-5)	USPAT; IBM_TDB	2003/08/12 14:18
5	238	(BINARY AND (MD5 MD-5)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)	USPAT; IBM_TDB	2003/08/12 16:12
6	223	((BINARY AND (MD5 MD-5)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)) AND KEY\$1	USPAT; IBM_TDB	2003/08/12 14:21
7	68	((((BINARY AND (MD5 MD-5)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)) AND KEY\$1) AND (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1)))	USPAT; IBM_TDB	2003/08/12 16:04
8	462	(FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:32
9	58	INTRINSIC\$4 NEAR (ID UID U-ID IDENTIFICATION\$1)	USPAT; IBM_TDB	2003/08/12 16:08
10	0	((FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (INTRINSIC\$4 NEAR (ID UID U-ID IDENTIFICATION\$1))	USPAT; IBM_TDB	2003/08/12 16:12
11	634	DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)	USPAT; IBM_TDB	2003/08/12 16:09
12	21	((FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$))	USPAT; IBM_TDB	2003/08/12 16:09
16	13	((FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND KEY\$1	USPAT; IBM_TDB	2003/08/12 16:12
18	3	((((FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND KEY\$1) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)	USPAT; IBM_TDB	2003/08/12 16:23
19	3	((FILE\$1 DOCUMENT\$1) NEAR3 (UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)	USPAT; IBM_TDB	2003/08/12 16:23
20	233	(DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)	USPAT; IBM_TDB	2003/08/12 16:24
21	14360	(FILE\$1 DOCUMENT BINARY) NEAR5 (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)	USPAT; IBM_TDB	2003/08/12 16:24
22	45	((DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)) AND ((FILE\$1 DOCUMENT BINARY) NEAR5 (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2))	USPAT; IBM_TDB	2003/08/12 16:24
25	33	((DESCRIPTOR NEAR (FILE\$1 DOCUMENT\$)) AND (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2)) AND ((FILE\$1 DOCUMENT BINARY) NEAR5 (ENCRYPT\$3 ENCOD\$3 ENCIPHER\$3 CRYPTOGRAPH\$2))) AND KEY\$1	USPAT; IBM_TDB	2003/08/12 16:25
26	4713	(FILE\$1 DOCUMENT\$1) NEAR3 (IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:37

	279	((FILE\$1 DOCUMENT\$1) NEAR3 (IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) SAME (KEY\$1 ENCRYPT\$1 ENCOD\$3 ENCIPHER\$3)	USPAT; IBM_TDB	2003/08/12 16:36
28	7706	(FILE\$1 DOCUMENT\$1) NEAR3 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 17:03
29	367	((FILE\$1 DOCUMENT\$1) NEAR3 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) WITH (ENCRYPT\$1 ENCOD\$3 ENCIPHER\$3 CIPHER\$4)	USPAT; IBM_TDB	2003/08/12 16:57
30	1228	(FOURTH) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:53
32	15440	(SECOND) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 17:01
33	3499	(THIRD) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:53
34	626	((FOURTH) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((SECOND) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((THIRD) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1)))	USPAT; IBM_TDB	2003/08/12 16:39
35	6	((FOURTH) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((SECOND) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((THIRD) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (((FILE\$1 DOCUMENT\$1) NEAR3 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) WITH (ENCRYPT\$1 ENCOD\$3 ENCIPHER\$3 CIPHER\$4))	USPAT; IBM_TDB	2003/08/12 16:39
36	1893	(THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:53
37	782	(FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:53
38	8738	(SECOND) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 16:54
39	412	((THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((SECOND) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1)))	USPAT; IBM_TDB	2003/08/12 16:54

40	255	((THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((SECOND) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (FILE\$1 DOCUMENT\$1)	USPAT; IBM_TDB	2003/08/12 16:55
41	24	((THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1)	USPAT; IBM_TDB	2003/08/12 16:56
42	7	((FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1)	USPAT; IBM_TDB	2003/08/12 16:56
43	3	((THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1) AND (((FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1))	USPAT; IBM_TDB	2003/08/12 16:56
44	0	((THIRD) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1) AND (((FOURTH) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR5 (FILE\$1 DOCUMENT\$1)) AND (MD5 MD-5 ENCRYPT\$1 ENCOD\$3 ENCIPHER\$3 CIPHER\$4)	USPAT; IBM_TDB	2003/08/12 16:58
45	9748	(FIRST) NEAR (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 17:02
46	6008	(FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))	USPAT; IBM_TDB	2003/08/12 17:03
47	391	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FIRST	USPAT; IBM_TDB	2003/08/12 17:04
48	202	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 SECOND	USPAT; IBM_TDB	2003/08/12 17:04
49	391	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FIRST)	USPAT; IBM_TDB	2003/08/12 17:04
50	60	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 THIRD	USPAT; IBM_TDB	2003/08/12 17:05
51	10	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FOURTH	USPAT; IBM_TDB	2003/08/12 17:05
52	28	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND (((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FIRST) AND (((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 THIRD)	USPAT; IBM_TDB	2003/08/12 17:05

53	6	((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FOURTH) AND (((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) AND ((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 FIRST)) AND (((FILE\$1 DOCUMENT\$1) NEAR2 (KEY\$1 IDENTIFIER\$1 ID UID U-ID (UNIQUE NEAR ID) (UNIQUE NEAR IDENTIFIER\$1))) NEAR4 THIRD))	USPAT; IBM_TDB	2003/08/12 17:08
54	5	((("6398245") or ("6269445") or ("0580477") or ("6073128") or ("5897643")).PN.	USPAT; IBM_TDB	2003/08/12 17:09
55	5	((("6398245") or ("6269445") or ("5870477") or ("6073128") or ("5897643")).PN.	USPAT; IBM_TDB	2003/08/12 17:09